



High Gloss OPV Conventional

K-Supply

K-Supply High Gloss OPV Conventional has been specifically developed to provide a high degree of abrasion resistance to the printed product. This product which has been tested and approved at the Komori Graphic Center-Europe is applicable on both wet-on-dry and wet-on-wet printing.

Benefits

- Low tack to prevent the varnish from smearing when printing wet-on-wet.
- Printed product can be handled quickly after varnishing.
- Withstands creasing and cutting.
- Minimized risk of blocking.
- Non yellowing.

Directions

Wear protective gloves (repeated exposure may cause skin dryness) and safety glasses.

Wash contaminated clothing before reuse.

Storage in the original container in a cool, well ventilated place.

Keep away from sparks, heat or sources of ignition.

Keep the can closed when not used.

Specifications

Product name	K-Supply High Gloss OPV Conventional
--------------	--------------------------------------

Application	To provide a high degree of abrasion resistance to the printed product.
-------------	---

Colour	Transparent
--------	-------------

Appearance	Viscous
------------	---------

Odour	Slight
-------	--------

Boiling point	> 240 °C
---------------	----------

Flashpoint	> 100 °C
------------	----------

Vapour pressure	< 0,01 hPa
-----------------	------------

Relative density	Water negligible
------------------	------------------

Viscosity, dynamic	12.000 mPa.s
--------------------	--------------

Oxidising properties	Not oxidizing
----------------------	---------------

Packaging	2,5 Kg Can
-----------	------------

⚠ Directions for Use:
For details, please refer to the safety data sheet.

KOMORI INTERNATIONAL (EUROPE) B.V.

Reactorweg 151, 3542 AD Utrecht, The Netherlands, Tel: +31 (0)88 177 07 07

www.komori.eu

WGPV EN 1P NL 3 2020.11 500 KIE